


FIRE & BRIMSTONE - FIREGLASS



Danger

H302 : Harmful if swallowed
H314 : Causes severe skin burns and eye damage
H317 : May cause an allergic skin reaction
H318 : Causes serious eye damage
H335 : May cause respiratory irritation
H402 : Harmful to aquatic life
H412 : Harmful to aquatic life with long lasting effects

P260 : Do not breathe vapors, mist, or spray.
P264 : Wash hands, forearms, and other exposed areas thoroughly after handling.
P270 : Do not eat, drink or smoke when using this product.
P271 : Use only outdoors or in a well-ventilated area.
P272 : Contaminated work clothing must not be allowed out of the workplace.
P273 : Avoid release to the environment.
P280 : Wear protective gloves, protective clothing, and eye protection.
P301+P330+P331 : If swallowed: rinse mouth. Do NOT induce vomiting.
P303+P361+P353 : If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+P340 : If inhaled: Remove person to fresh air and keep at rest in a position comfortable for breathing.
P305+P351+P338 : If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 : Immediately call a poison center or doctor.
P321 : Specific treatment (see section 4 on this SDS).
P330 : Rinse mouth.
P333+P313 : If skin irritation or rash occurs: Get medical advice/attention.
P363 : Wash contaminated clothing before reuse.
P403+P233 : Store in a well-ventilated place. Keep container tightly closed.
P405 : Store locked up.
P501 : Dispose of contents/container in accordance with local, regional, national, and international regulations.

BioPURE Botanicals
12112 N Rancho Vistoso Blvd
ste 150-356
Oro Valley, AZ 85755
520-797-7378
biopurebotanicals.com

Emergency number : 520-429-0053

Fire & Brimstone - FireGlass

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations
Date of Issue: 06/28/2021

Version: 1.0

SECTION 1: IDENTIFICATION

1.1. Product Identifier

Product Form: Mixture

Product Name: Fire & Brimstone - FireGlass

Product Code: EC

Synonyms: Fire Glass

1.2. Intended Use of the Product

Use of the Substance/Mixture: Wall Void Liquid. For professional use only.

1.3. Name, Address, and Telephone of the Responsible Party

Company

BioPURE Botanicals

2905 Lake Esat Dr, Ste 150

Las Vegas, NV 89117

520-797-7378

biopurebotanicals.com

1.4. Emergency Telephone Number

Emergency Number : ChemTel LLC
(800)255-3924 (North America)
+1 (813)248-0585 (International)

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the Substance or Mixture

Acute Tox. 4 (Oral)	H302
Skin Corr. 1B	H314
Eye Dam. 1	H318
Skin Sens. 1	H317
STOT SE 3	H335
Aquatic Acute 3	H402
Aquatic Chronic 3	H412

Full text of hazard classes and H-statements : see section 16

2.2. Label Elements

GHS-US Labeling

Hazard Pictograms (GHS-US)



Signal Word (GHS-US)

: Danger

Hazard Statements (GHS-US)

: H302 - Harmful if swallowed.
H314 - Causes severe skin burns and eye damage.
H317 - May cause an allergic skin reaction.
H318 - Causes serious eye damage.
H335 - May cause respiratory irritation.
H402 - Harmful to aquatic life.
H412 - Harmful to aquatic life with long lasting effects.

Precautionary Statements (GHS-US)

: P260 - Do not breathe vapors, mist, or spray.
P264 - Wash hands, forearms, and other exposed areas thoroughly after handling.
P270 - Do not eat, drink or smoke when using this product.
P271 - Use only outdoors or in a well-ventilated area.
P272 - Contaminated work clothing must not be allowed out of the workplace.
P273 - Avoid release to the environment.
P280 - Wear protective gloves, protective clothing, and eye protection.
P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting.
P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with Proprietary Ingredient 5/shower.
P304+P340 - If inhaled: Remove person to fresh air and keep at rest in a position comfortable for breathing.

Fire & Brimstone - FireGlass

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P305+P351+P338 - If in eyes: Rinse cautiously with Proprietary Ingredient 5 for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a poison center or doctor.

P321 - Specific treatment (see section 4 on this SDS).

P330 - Rinse mouth.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P363 - Wash contaminated clothing before reuse.

P403+P233 - Store in a well-ventilated place. Keep container tightly closed.

P405 - Store locked up.

P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations.

2.3. Other Hazards

Exposure may aggravate pre-existing eye, skin, or respiratory conditions. May be corrosive to respiratory tract.

2.4. Unknown Acute Toxicity (GHS-US)

No data available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substance

Not applicable

3.2. Mixture

Name	Synonyms	Product Identifier	%	GHS US classification
Proprietary Ingredient 1	None Provided	(CAS-No.) Proprietary	80-100	Met. Corr. 1, H290 Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335
Proprietary Ingredient 2	None Provided	(CAS-No.) Proprietary	0.1-1	Not classified
Proprietary Ingredient 3	None Provided	(CAS-No.) Proprietary	0.1-1	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 STOT SE 3, H335 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Proprietary Ingredient 4	None Provided	(CAS-No.) Proprietary	0.1-1	Acute Tox. 3 (Oral), H301 Skin Irrit. 2, H315 Eye Dam. 1, H318
Proprietary Ingredient 5	None Provided	(CAS-No.) Proprietary	0.1-1	Not classified
Proprietary Ingredient 6	None Provided	(CAS-No.) Proprietary	0.1-1	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1, H317
Proprietary Ingredient 7	None Provided	(CAS-No.) Proprietary	0.1-1	Flam. Liq. 3, H226 Eye Dam. 1, H318 STOT SE 3, H335

Full text of H-phrases: see section 16

The specific chemical identity and/or exact percentage of composition have been withheld as a trade secret [29 CFR 1910.1200].

Fire & Brimstone - FireGlass

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 4: FIRST AID MEASURES

4.1. Description of First-aid Measures

First-aid Measures General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid Measures After Inhalation: Remove to fresh air and keep at rest in a position comfortable for breathing. Immediately call a poison center or doctor/physician.

First-aid Measures After Skin Contact: Immediately remove contaminated clothing. Immediately flush skin with plenty of Proprietary Ingredient 5 for at least 30 minutes. Get immediate medical advice/attention.

First-aid Measures After Eye Contact: Immediately rinse with Proprietary Ingredient 5 for at least 30 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.

First-aid Measures After Ingestion: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most Important Symptoms and Effects Both Acute and Delayed

Symptoms/Injuries: May cause respiratory irritation. Skin sensitization. Harmful if swallowed. Causes severe skin burns and eye damage.

Symptoms/Injuries After Inhalation: Irritation of the respiratory tract and the other mucous membranes. May be corrosive to the respiratory tract.

Symptoms/Injuries After Skin Contact: May cause an allergic skin reaction. Causes severe irritation which will progress to chemical burns.

Symptoms/Injuries After Eye Contact: Causes permanent damage to the cornea, iris, or conjunctiva.

Symptoms/Injuries After Ingestion: This material is harmful orally and can cause adverse health effects or death in significant amounts. May cause burns or irritation of the linings of the mouth, throat, and gastrointestinal tract.

Chronic Symptoms: None expected under normal conditions of use.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing Media

Suitable Extinguishing Media: Not flammable. Use extinguishing media suitable for surrounding type of fire.

Unsuitable Extinguishing Media: Reacts with Proprietary Ingredient 5.

5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard: Not considered flammable but may burn at high temperatures.

Explosion Hazard: Product is not explosive.

Reactivity: May react exothermically with Proprietary Ingredient 5 releasing heat. Adding an acid to a base or base to an acid may cause a violent reaction.

5.3. Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire.

Firefighting Instructions: Use Proprietary Ingredient 5 spray or fog for cooling exposed containers.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Hazardous Combustion Products: Smoke. Oxides of silicon and carbon.

Other Information: Do not allow run-off from fire fighting to enter drains or Proprietary Ingredient 5 courses.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Do not get in eyes, on skin, or on clothing. Do not breathe vapor, mist or spray.

6.1.1. For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protective equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

6.1.2. For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.

6.2. Environmental Precautions

Prevent entry to sewers and public Proprietary Ingredient 5s. Avoid release to the environment.

6.3. Methods and Materials for Containment and Cleaning Up

For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. As an immediate precautionary measure, isolate spill or leak area in all directions.

Fire & Brimstone - FireGlass

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Methods for Cleaning Up: Clean up spills immediately and dispose of waste safely. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a large spill.

6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for Safe Handling

Additional Hazards When Processed: May release corrosive vapors.

Precautions for Safe Handling: Do not breathe mist, vapors, spray. Wash hands and other exposed areas with mild soap and Proprietary Ingredient 5 before eating, drinking or smoking and when leaving work. Handle empty containers with care because they may still present a hazard. Do not get in eyes, on skin, or on clothing.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures.

7.2. Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Comply with applicable regulations.

Storage Conditions: Keep container closed when not in use. Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials. Store locked up/in a secure area. Store in original container or corrosive resistant and/or lined container.

Incompatible Materials: Strong acids. Oxidizing agent. halogens (F, Cl, Br, I). Moisture.

7.3. Specific End Use(s)

Wall Void Liquid

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), or OSHA (PEL).

Proprietary Ingredient 11 (Proprietary)		
USA ACGIH	ACGIH OEL TWA [ppm]	10 ppm
USA ACGIH	ACGIH OEL STEL [ppm]	15 ppm
USA NIOSH	NIOSH REL (TWA)	25 mg/m ³
USA NIOSH	NIOSH REL TWA [ppm]	10 ppm
USA NIOSH	NIOSH REL (STEL)	37 mg/m ³
USA NIOSH	NIOSH REL STEL [ppm]	15 ppm
USA IDLH	IDLH [ppm]	50 ppm
USA OSHA	OSHA PEL (TWA) [1]	25 mg/m ³
USA OSHA	OSHA PEL (TWA) [2]	10 ppm

8.2. Exposure Controls

Appropriate Engineering Controls

- : Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
- : Gloves. Protective clothing. Protective goggles. Face shield. Insufficient ventilation: wear respiratory protection.

Personal Protective Equipment



Materials for Protective Clothing

Hand Protection

Eye and Face Protection

Skin and Body Protection

Respiratory Protection

- : Chemically resistant materials and fabrics. Corrosion-proof clothing.
- : Wear protective gloves.
- : Chemical safety goggles and face shield.
- : Wear suitable protective clothing.
- : If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.
- : If material is hot, wear thermally resistant protective gloves.
- : Avoid unnecessary release into the environment.
- : When using, do not eat, drink or smoke.

Thermal Hazard Protection

Environmental Exposure Controls

Other Information

Fire & Brimstone - FireGlass

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on Basic Physical and Chemical Properties

Physical State	: Liquid
Appearance	: Clear/Opaque/Pink liquid gel
Odor	: Not determined.
Odor Threshold	: No data available
pH	: 11
Evaporation Rate	: No data available
Melting Point	: No data available
Freezing Point	: No data available
Boiling Point	: 101-102 °C (213.8-215.6 °F)
Flash Point	: No data available
Auto-ignition Temperature	: No data available
Decomposition Temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapor Pressure	: No data available
Relative Vapor Density at 20°C	: No data available
Relative Density	: No data available
Density	: 1.32 – 1.61 g/ml
Solubility	: Soluble in Proprietary Ingredient 5.
Partition Coefficient: N-Octanol/Proprietary Ingredient 5	: No data available
Viscosity	: No data available

9.2. Other Information No additional information available

SECTION 10: STABILITY AND REACTIVITY

- 10.1. Reactivity:** May react exothermically with Proprietary Ingredient 5 releasing heat. Adding an acid to a base or base to an acid may cause a violent reaction.
- 10.2. Chemical Stability:** Stable under recommended handling and storage conditions (see section 7).
- 10.3. Possibility of Hazardous Reactions:** Hazardous polymerization will not occur.
- 10.4. Conditions to Avoid:** Direct sunlight, extremely high or low temperatures, and incompatible materials.
- 10.5. Incompatible Materials:** Strong acids. Oxidizing agent. halogens (F, Cl, Br, I). Moisture.
- 10.6. Hazardous Decomposition Products:** Thermal decomposition may produce: Silicon oxides. Smoke. Carbon oxides (CO, CO₂).

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on Toxicological Effects

Acute Toxicity (Oral): Harmful if swallowed.

Acute Toxicity (Dermal): Not classified (Based on available data, the classification criteria are not met)

Acute Toxicity (Inhalation): Not classified (Based on available data, the classification criteria are not met)

Fire & Brimstone - FireGlass	
ATE (Oral)	1,910.98 mg/kg body weight
Proprietary Ingredient 6 (Proprietary)	
LD50 Oral Rat	1360 mg/kg
Proprietary Ingredient 4 (Proprietary)	
LD50 Oral Rat	150 mg/kg
Proprietary Ingredient 11 (Proprietary)	
LD50 Oral Rat	3310 mg/kg
Proprietary Ingredient 9 (Proprietary)	
LD50 Oral Rat	3550 mg/kg (Species: Wistar)
LD50 Dermal Rabbit	> 10000 mg/kg (Species: New Zealand White)
LC50 Inhalation Rat	> 42 g/m ³ (Exposure time: 1 h)
Proprietary Ingredient 1 (Proprietary)	
LD50 Oral Rat	1960 mg/kg

Fire & Brimstone - FireGlass

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Proprietary Ingredient 7 (Proprietary)	
LD50 Oral Rat	8200 mg/kg
LD50 Dermal Rabbit	> 5 g/kg
Proprietary Ingredient 10 (Proprietary)	
LD50 Oral Rat	2650 mg/kg
LD50 Dermal Rabbit	> 5000 mg/kg

Skin Corrosion/Irritation: Causes severe skin burns.

pH: 11

Serious Eye Damage/Irritation: Causes serious eye damage.

pH: 11

Respiratory or Skin Sensitization: May cause an allergic skin reaction.

Germ Cell Mutagenicity: Not classified (Based on available data, the classification criteria are not met)

Carcinogenicity: Not classified (Based on available data, the classification criteria are not met)

Reproductive Toxicity: Not classified (Based on available data, the classification criteria are not met)

Specific Target Organ Toxicity (Single Exposure): May cause respiratory irritation. May be corrosive to the respiratory tract.

Specific Target Organ Toxicity (Repeated Exposure): Not classified (Based on available data, the classification criteria are not met)

Aspiration Hazard: Not classified (Based on available data, the classification criteria are not met)

Symptoms/Injuries After Inhalation: Irritation of the respiratory tract and the other mucous membranes. May be corrosive to the respiratory tract.

Symptoms/Injuries After Skin Contact: May cause an allergic skin reaction. Causes severe irritation which will progress to chemical burns.

Symptoms/Injuries After Eye Contact: Causes permanent damage to the cornea, iris, or conjunctiva.

Symptoms/Injuries After Ingestion: This material is harmful orally and can cause adverse health effects or death in significant amounts. May cause burns or irritation of the linings of the mouth, throat, and gastrointestinal tract.

Chronic Symptoms: None expected under normal conditions of use.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecology - General : Harmful to aquatic life with long lasting effects.

Proprietary Ingredient 11 (Proprietary)	
LC50 Fish 1	79 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 - Crustacea [1]	65 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
LC50 Fish 2	75 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
Proprietary Ingredient 9 (Proprietary)	
LC50 Fish 1	5560 (5560 – 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through])
EC50 - Crustacea [1]	1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC50 Fish 2	12946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
EC50 - Crustacea [2]	340.7 (340.7 – 469.2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
NOEC Chronic Fish	252 mg/l (Species: Pimephales promelas)
Proprietary Ingredient 1 (Proprietary)	
LC50 Fish 1	301 – 478 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)
LC50 Fish 2	3185 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [semi-static])
Proprietary Ingredient 7 (Proprietary)	
LC50 Fish 1	320 mg/l
EC50 - Crustacea [1]	560 mg/l
ErC50 (Algae)	3500 mg/l

12.2. Persistence and Degradability

Fire & Brimstone - FireGlass	
Persistence and Degradability	May cause long-term adverse effects in the environment.

12.3. Bioaccumulative Potential

Fire & Brimstone - FireGlass	
Bioaccumulative Potential	Not established.

Fire & Brimstone - FireGlass

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Proprietary Ingredient 11 (Proprietary)	
Partition coefficient n-octanol/Proprietary Ingredient 5 (Log Pow)	-0.31 (at 20 °C)
Proprietary Ingredient 9 (Proprietary)	
BCF Fish 1	(no bioaccumulation)
Proprietary Ingredient 1 (Proprietary)	
BCF Fish 1	(no bioaccumulation expected)

12.4. Mobility in Soil

Fire & Brimstone - FireGlass	
Ecology - Soil	Adsorbs into the soil.

12.5. Other Adverse Effects

Other Adverse Effects : None known.
 Other Information : Avoid release to the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste Treatment Methods

Waste Treatment Methods: Cautiously neutralize remainder.

Sewage Disposal Recommendations: Do not dispose of waste into sewer.

Waste Disposal Recommendations: Dispose of contents/container in accordance with local, regional, national, and international regulations.

Additional Information: Container may remain hazardous when empty. Continue to observe all precautions.

Ecology - Waste Materials: Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and Proprietary Ingredient 5 ways.

SECTION 14: TRANSPORT INFORMATION

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

14.1. In Accordance with DOT

Proper Shipping Name : CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Proprietary Ingredient 1)
 Hazard Class : 8
 Identification Number : UN3266
 Label Codes : 8
 Packing Group : II
 ERG Number : 154



14.2. In Accordance with IMDG

Proper Shipping Name : CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Proprietary Ingredient 1).
 Hazard Class : 8
 Identification Number : UN3266
 Packing Group : II
 Label Codes : 8
 EmS-No. (Fire) : F-A
 EmS-No. (Spillage) : S-B



14.3. In Accordance with IATA

Proper Shipping Name : CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Proprietary Ingredient 1)
 Packing Group : II
 Identification Number : UN3266
 Hazard Class : 8
 Label Codes : 8
 ERG Code (IATA) : 8L



SECTION 15: REGULATORY INFORMATION

15.1. US Federal Regulations

Fire & Brimstone - FireGlass	
SARA Section 311/312 Hazard Classes	Health hazard - Specific target organ toxicity (single or repeated exposure) Health hazard - Respiratory or skin sensitization Health hazard - Acute toxicity (any route of exposure)

Fire & Brimstone - FireGlass

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	Health hazard - Serious eye damage or eye irritation Health hazard - Skin corrosion or Irritation
Proprietary Ingredient 3 (68990-83-0)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Proprietary Ingredient 6 (Proprietary)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
6-Nonenamide, N-[[4-hydroxy-3-methoxyphenyl)methyl]-8-methyl-, (E)- (404-86-4)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Proprietary Ingredient 11 (Proprietary)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
CERCLA RQ	5000 lb
Proprietary Ingredient 9 (Proprietary)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Proprietary Ingredient 1 (Proprietary)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Proprietary Ingredient 7 (Proprietary)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Proprietary Ingredient 5 (7732-18-5)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	

15.2. US State Regulations

Proprietary Ingredient 11 (Proprietary)
U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Pennsylvania - RTK (Right to Know) List U.S. - Massachusetts - Right To Know List U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List
Proprietary Ingredient 7 (Proprietary)
U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Pennsylvania - RTK (Right to Know) List U.S. - Massachusetts - Right To Know List

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Date of Preparation or Latest Revision	: 06/28/2021
Other Information	: This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200

GHS Full Text Phrases:

Acute Tox. 3 (Oral)	Acute toxicity (oral) Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Aquatic Acute 3	Hazardous to the aquatic environment - Acute Hazard Category 3
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic Hazard Category 3
Asp. Tox. 1	Aspiration hazard Category 1
Comb. Dust	Combustible Dust
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2	Serious eye damage/eye irritation Category 2
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Flam. Liq. 3	Flammable liquids Category 3
Flam. Liq. 4	Flammable liquids Category 4
Met. Corr. 1	Corrosive to metals Category 1
Skin Corr. 1A	Skin corrosion/irritation Category 1A

Fire & Brimstone - FireGlass

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Skin Corr. 1B	Skin corrosion/irritation Category 1B
Skin Irrit. 2	Skin corrosion/irritation Category 2
Skin Sens. 1	Skin sensitization, Category 1
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H226	Flammable liquid and vapor
H227	Combustible liquid
H290	May be corrosive to metals
H301	Toxic if swallowed
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H400	Very toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

SDS US (GHS HazCom)